



Product Overview

The SRX1500 is a nextgeneration firewall and security
services gateway offering
outstanding protection,
performance, scalability,
availability, and security service
integration. Designed for port
density, a high-performance
security services architecture,
and seamless integration of
networking and security in a
single platform, the SRX1500 is
best suited for client protection
in enterprise campuses, regional
headquarters, or cloud-based
security solutions with a focus
on application visibility and
control, intrusion prevention,
and advanced threat prevention.
The SRX1500, powered by
Junos OS, is the industry-leading
operating system that keeps the
world's largest and most
mission-critical enterprise
networks secure.

SRX1500 FIREWALL DATASHEET

Next-Generation Firewall For The Distributed Enterprise

Product Description

The Juniper Networks® SRX1500 is a high-performance next-generation firewall and security services gateway that protects mission-critical networks at campuses, regional headquarters, and large branch offices. The SRX1500 provides best-in-class security, threat detection, and mitigation capabilities, integrating carrier-class routing and feature-rich switching in a single platform.

The SRX1500 delivers a next-generation security solution that supports the changing needs of cloud-enabled enterprise networks. Whether rolling out new services in an enterprise campus, connecting to the cloud, complying with industry standards, or achieving operational efficiency, the SRX1500 helps organizations realize their business objectives while providing scalable, easy-to-manage, secure connectivity and advanced threat detection and mitigation capabilities. The SRX1500 protects critical corporate assets as a next-generation firewall, acts as an enforcement point for cloud-based security solutions, and provides application visibility and control to improve the user and application experience.

Hardware and software architectures on the SRX1500 provide significant performance improvements to a small 1 U form factor. The key to the SRX1500 hardware is the security flow accelerator and a robust x86-based security compute engine for advanced security services like application visibility, intrusion prevention, and threat mitigation capabilities. The SRX1500 software architecture leverages these hardware components and virtualization to deliver high-speed firewall performance, application visibility, and intrusion prevention while lowering the total cost of ownership (TCO).

The SRX1500 is purpose-built to protect 10GbE network environments, consolidating multiple security services and networking functions in a highly available appliance.

SRX1500 Highlights

The SRX1500 fully complements next-generation firewall capabilities that help secure your network with an integrated solution that combines best-in-class application, content, and threat classification with SD-WAN, local switching, and easy policy management. Advanced application identification and classification enable greater visibility, enforcement, control, and protection over the network as they are tied to users regardless of location or device. It provides a detailed analysis of application volume and usage and fine-grained application control policies to allow or deny traffic based on dynamic application names or group names, and prioritization of traffic based on application information and context to reduce complexity across traditional, cloud, and hybrid IT networks.

By combining perimeter defenses with segmentation, the SRX1500 firewall provides a comprehensive suite of application security, threat defenses, and intelligence services to protect networks from content-borne threats. Integrated threat intelligence via Juniper Networks Advanced Threat Prevention (ATP) Cloud offers adaptive threat protection against command and control (C&C) solutions that leverage automated protection. This

integration helps detect and enforce against known exploits, spyware, malware, and zero-day threats with an extremely high degree of accuracy using advanced AI techniques developed in conjunction with Juniper Threat Labs.

The SRX1500 enables agile SecOps through automation capabilities that support Zero Touch Deployment, Python scripts for orchestration, and event scripting for operational management.

The SRX1500 delivers fully automated SD-WAN to both enterprises and service providers. A Zero Touch Provisioning (ZTP) capability simplifies branch network connectivity for initial deployment and ongoing management. Due to its high performance and scale, the SRX1500 acts as a VPN hub and terminates VPN/ secure overlay connections in the various SD-WAN topologies.

The SRX1500 firewall runs Juniper Networks Junos® operating system, a proven, carrier-hardened network OS that powers the top 100 service provider networks worldwide. These rigorously tested carrier-class routing features of IPv, including IPv4/IPv6, OSPF, BGP, and multicast, have been proven in over 15 years of worldwide deployments.

Juniper Security Director Cloud

Security Director Cloud is Juniper's simple and seamless management experience, delivered in a single UI to connect customers' current deployments with their future architectural rollouts. Management is at the center of Juniper's security strategy and helps organizations secure every point of connection on their network to safeguard users, data, and infrastructure.

Organizations can secure their architecture with consistent security policies across any environment—on-premises, cloud-based, cloud-delivered, and hybrid—and expand Zero Trust to all parts of the network, from the edge all the way into the data center and to the applications and microservices. With Security Director Cloud, organizations have unbroken visibility, policy configuration, administration, and collective threat intelligence all in one place.

Juniper meets our customers where they are on their journey, helps them leverage their existing investments, and empowers them to transition to their preferred architecture at a pace that is best for business by automating their transition with Security Director Cloud.

Juniper Secure Edge

Juniper Secure Edge secures workforces anywhere with the fast, reliable, and secure access they need. It delivers full-stack SSE

capabilities, including FWaaS, SWG, CASB with DLP, ZTNA, and advanced threat protection to protect access to web, SaaS, and on-premises applications and provides users with security that follows them wherever they go. Juniper meets customers where they are and takes them where they want to go by leveraging what they have and extending their Zero Trust initiatives to a cloud-delivered architecture without breaking the bank or their ops team.

Juniper Secure Edge, managed by Security Director Cloud, uses a single policy framework that enables security policies to be created once to follow users, devices, and data wherever they go.

Customers don't have to start from scratch when adopting cloud-delivered security. With our three-click wizard, customers can easily leverage existing campus edge policies and translate them into an SSE policy. Because it uses a single policy framework regardless of the deployment model, Secure Edge applies existing security policies from traditional deployments to its cloud-delivered model in just a few clicks, reducing misconfigurations and risk.

Whether securing remote users, campus and branch locations, private cloud, public cloud, or hybrid cloud data centers, Juniper provides unified management and unbroken visibility across all architectures. This makes it easy for ops teams to easily and effectively bridge their current investments with their future architectural goals, including SASE. Customers can manage security anywhere and everywhere, on-premises, in the cloud, and from the cloud, with security policies that follow users, devices, and data wherever they go, all from a single UI.

Users have fast, reliable, and secure access to the data and resources they need, ensuring great user experiences. IT security teams gain seamless visibility across the entire network while leveraging their existing investments, helping them transition to a cloud-delivered architecture at their own pace.

Juniper Secure Edge provides consistent security policies that follow the user, device, and data without having to copy over or recreate rule sets. It's easy to deploy cloud-delivered application control, intrusion prevention, content and web filtering, and effective threat prevention without breaking visibility or security enforcement. For the past five years, Juniper has consistently been validated by multiple third-party tests as the market's most effective security technology, with over 99% security efficacy across all use cases.

Features and Benefits

Business Requirement	Feature/Solution	SRX1500 Advantages	
High performance	High-performance firewall	 Best suited for enterprise large branch and campus deployments Addresses future needs for scale and feature capacity 	
High-quality end user experience	Application visibility and control	 Continuous application updates provided by Juniper Threat Labs Controls and prioritizes traffic based on application and user role Inspects and detects applications inside the SSL-encrypted traffic 	
Threat protection	IPS, antivirus, antispam, enhanced web filtering, Juniper Advanced Threat Prevention Cloud, Encrypted Traffic Insights Threat Intelligence Feeds, and Juniper ATP Appliance	• Implements industry-reading artivitus and OKE interring	
Zero-day prevention	Al-Predictive Threat Prevention	 Predicts and prevents malware at line rate by using AI to identify threats from packet snippets effectively Eliminates patient-zero infections Provides network protection throughout the entire attack lifecycle, preventing reinfection from subsequent attacks rather than just for the first 24 hours of an attack. 	
Professional-grade networking services	Routing, switching, and secure wire	 Supports carrier-class advanced routing, quality of service (QoS), and services Offers flexible deployment modes (L1/L2/L3) 	
Highly secure	IPsec VPN, remote access/SSL VPN, secure boot	 Provides high-performance IPsec VPN with a dedicated crypto engine Simplifies large VPN deployments with auto VPN and group VPN Offers secure and flexible remote access SSL VPN with Juniper Secure Connect Verifies binaries that execute on the hardware with a secure boot 	
Embed security in data center fabric	EVPN-VXLAN Type 5 routes	 Enhances tunnel inspection for VXLAN encapsulated traffic with Layer 4 to Layer 7 security services Eases operations with Type 5 support through BGP Does not require decapsulation of EVPN-VXLAN traffic 	
High reliability	Chassis cluster, redundant power supply	 Provides stateful configuration and state synchronization Supports active/active and active/backup deployment scenarios Offers highly available hardware with dual PSU, redundant fans 	
Easy to manage and scale	On-box GUI, Security Director, and Security Director Cloud	 Enables centralized management for auto-provisioning, firewall policy management, Network Address Translation (NAT), and IPsec VPN deployments Includes simple easy-to-use on-box GUI for local management 	
Lower TCO	Junos OS	 Integrates routing, switching, and security in a single device Reduces OpEx with Junos OS automation capabilities 	



SRX1500

SRX1500 Firewall Specifications

Software Specifications

Firewall Services

- Stateful firewall inspection
- Zone-based firewall
- Screens and distributed denial of service (DDoS) protection
- Protection from protocol and traffic anomalies
- Integration with Pulse Unified Access Control (UAC)
- Integration with Aruba Clear Pass Policy Manager
- User role-based firewall
- SSL Inspection

Network Address Translation (NAT)

- Source NAT with Port Address Translation (PAT)
- Bidirectional 1:1 static NAT
- Destination NAT with PAT
- Persistent NAT
- IPv6 address translation

VPN Features

- Tunnels: Site-to-Site, Hub and Spoke, Dynamic Endpoint, AutoVPN, ADVPN, Group VPN (IPv4/IPv6/Dual Stack)
- Juniper Secure Connect: Remote access/SSL VPN
- Configuration payload: Yes
- IKE Encryption algorithms: Prime, DES-CBC, 3DES-CBC, AEC-CBC, AES-GCM, SuiteB
- IKE authentication algorithms: MD5, SHA-1, SHA-128, SHA-256, SHA-384

SRX1500 Firewall Datasheet

- Authentication: Pre-shared key and public key infrastructure (PKI) (X.509)
- IPsec (Internet Protocol Security): Authentication Header (AH)/ Encapsulating Security Payload (ESP) protocol
- IPsec Authentication Algorithms: hmac-md5, hmac-sha-196
- IPsec Encryption Algorithms: Prime, DES-CBC, 3DES-CBC, AEC-CBC, AES-GCM, SuiteB
- Perfect forward secrecy, anti-reply
- Internet Key Exchange: IKEv1, IKEv2
- Monitoring: Standard-based dead peer detection (DPD) support, VPN monitoring
- VPNs GRE, IP-in-IP, and MPLS

High Availability Features

- Virtual Router Redundancy Protocol (VRRP)
- · Stateful high availability
 - Dual box clustering
 - Active/passive
 - Active/active
 - Configuration synchronization
 - Firewall session synchronization
 - Device/link detection
 - In-Service Software Upgrade (ISSU)
- IP monitoring with route and interface failover

Application Security Services¹

- Application visibility and control
- Application QoS
- Advanced/application policy-based routing (APBR)
- Application Quality of Experience (AppQoE)
- · Application-based multipath routing

Threat Defense and Intelligence Services¹

- Intrusion prevention
- Antivirus
- Antispam
- Category/reputation-based URL filtering
- Protection from botnets (command and control)
- Adaptive enforcement based on GeoIP
- Juniper Advanced Threat Prevention, a cloud-based SaaS offering to detect and block zero-day attacks
- Juniper ATP Appliance, a distributed, on-premises advanced threat prevention solution to detect and block zero-day attacks
- Adaptive Threat Profiling
- Encrypted Traffic Insights
- SecIntel to provide threat intelligence

• Al-Predictive Threat Prevention

Offered as an advanced security subscription license

Routing Protocols

- IPv4, IPv6
- Static routes
- RIP v1/v2
- OSPF/OSPF v3
- BGP with Route Reflector
- EVPN-VXLAN
- IS-IS
- Multicast: Internet Group Management Protocol (IGMP) v1/v2; Protocol Independent Multicast (PIM) sparse mode (SM)/dense mode (DM)/source-specific multicast (SSM); Session Description Protocol (SDP); Distance Vector Multicast Routing Protocol (DVMRP); Multicast Source Discovery Protocol (MSDP); Reverse Path Forwarding (RPF)
- Encapsulation: VLAN, Point-to-Point Protocol over Ethernet (PPPoE)
- Virtual routers
- Policy-based routing, source-based routing
- Equal-cost multipath (ECMP)

QoS Features

- Support for 802.1p, DiffServ code point (DSCP), EXP
- Classification based on VLAN, data-link connection identifier (DLCI), interface, bundles, or multifield filters
- · Marking, policing, and shaping
- · Classification and scheduling
- Weighted random early detection (WRED)
- · Guaranteed and maximum bandwidth
- Ingress traffic policing
- Virtual channels
- · Hierarchical shaping and policing

Switching Features

- ASIC-based Layer 2 forwarding
- MAC address learning
- VLAN addressing and integrated routing and bridging (IRB) support
- Link aggregation and LACP
- LLDP and LLDP-MED
- STP, RSTP, MSTP
- MVRP
- 802.1X authentication

Network Services

- Dynamic Host Configuration Protocol (DHCP) client/server/ relay
- Domain Name System (DNS) proxy, dynamic DNS (DDNS)
- Juniper real-time performance monitoring (RPM) and IP monitoring
- Juniper flow monitoring (J-Flow)
- Bidirectional Forwarding Detection (BFD)
- Two-Way Active Measurement Protocol (TWAMP)
- IEEE 802.3ah Link Fault Management (LFM)
- IEEE 802.1ag Connectivity Fault Management (CFM)

Advanced Routing Services

- Packet mode
- MPLS (RSVP, LDP)
- Circuit cross-connect (CCC), translational cross-connect (TCC)
- L2/L2 MPLS VPN, pseudo-wires
- Virtual private LAN service (VPLS), next-generation multicast VPN (NG-MVPN)
- MPLS traffic engineering and MPLS fast reroute

Management, Automation, Logging, and Reporting

- SSH, Telnet, SNMP
- Smart image download
- Juniper CLI and Web UI
- Juniper Networks Security Director and Security Director Cloud
- Python
- Junos OS event, commit and OP scripts
- · Application and bandwidth usage reporting
- Auto installation
- Debug and troubleshooting tools

Hardware Specifications

Specification	SRX1500
Connectivity	
Total onboard ports	16x1GbE and 4x10GbE
Onboard RJ-45 ports	12x1GbE
Onboard small form-factor pluggable (SFP) transceiver ports	4x1GbE
Onboard SFP+ ports	4x10GbE
Out-of-Band (OOB) management ports	1x1GbE
Dedicated high availability (HA) ports	1x1GbE (SFP)
PIM slots	2
Console (RJ-45 + miniUSB)	1
USB 2.0 ports (type A)	1

Specification	SRX1500
System memory (RAM)	16 GB
Primary boot storage (mSATA)	16 GB
Secondary storage (SSD)	100 GB
Dimensions and Power	
Form factor	1 U
Size (WxHxD)	17.28 x 1.75 x 18.2 in (43.9 x 4.44 x 46.22 cm)
Weight (device and PSU)	16.1 lb (7.30 kg)
Redundant PSU	1+1
Power supply	AC/DC (external)
Average power consumption	150 W
Average heat dissipation	512 BTU / hour
Maximum current consumption	2.5A (for AC PSU); 6.2A (for DC PSU)
Maximum inrush current	50A by 1 AC cycle
Acoustic noise level	66.5dBA
Airflow/cooling	Front to back
Operating temperature	32° to 104° F (0° to 40° C)
Nonoperating temperature	4° to 158° F (-20° to 70° C)
Operating humidity	10% to 90% non-condensing
Nonoperating humidity	5% to 95% non-condensing
Meantime between failures (MTBF)	9.78 years (85,787 hours)
FCC classification	Class A
RoHS compliance	RoHS 2
FIPS 140-2	Level 2 (Junos 19.2)
Performance and Scale	
Firewall throughput (IMIX) Gbps ²	4.5
Firewall throughput (1,518 B) ²	9.0
IPsec VPN throughput (IMIX) Gbps²	1.0
IPsec VPN throughput (1400 B) in Gbps²	4.0
Application security performance (TPS#/CPS**) in Gbps	7.5 / 4.0
Next-generation firewall (TPS#/CPS**) in Gbps³	7.0 / 2.0
Secure Web Access firewall (CPS**) in Gbps ⁴	2.0
Advanced Threat (CPS**) in Gbps ⁵	1.0
Route table size (RIB/FIB) (IPv4)	2 million / 1 million
Maximum concurrent sessions (IPv4 or IPv6)	2,000,000
Connections per second (64B)	90,000
SSL Connections per second	1,600
IPsec VPN tunnels	2,000

Performance numbers based on UDP packets and RFC2544 test methodology

Next-Generation firewall performance is measured with firewall, application security and IPS enabled

Secure Web Access firewall performance is measured with firewall, application security, IPS, SecIntel, and URL Filtering

Advanced Threat performance is measured with firewall, application security, IPS, SecIntel, URL Filtering and malware protection enabled

#TPS Method: Throughput performance of average HTTP sessions

"CPS Method: Short-lived sessions

Juniper Networks Services and Support

Juniper Networks is the leader in performance-enabling services designed to accelerate, extend, and optimize your highperformance network. Our services allow you to maximize operational efficiency while reducing costs and minimizing risk, achieving a faster time to value for your network. Juniper Networks ensures operational excellence by optimizing the network to maintain required levels of performance, reliability, and availability. For more details, please visit https://www.juniper.net/us/en/ products.html.

Ordering Information

To order Juniper Networks SRX Series Firewalls and access software licensing information, please visit the How to Buy page at https://www.juniper.net/us/en/how-to-buy/form.html.

About Juniper Networks

Juniper Networks believes that connectivity is not the same as experiencing a great connection. Juniper's Al-Native Networking Platform is built from the ground up to leverage Al to deliver the best and most secure user experiences from the edge to the data center and cloud. Additional information can be found at Juniper Networks (www.juniper.net) or connect with Juniper on X (Twitter), LinkedIn, and Facebook.

Corporate and Sales Headquarters

Juniper Networks, Inc.

1133 Innovation Way

Sunnyvale, CA 94089 USA

Phone: 888.JUNIPER (888.586.4737) or +1.408.745.2000

www.juniper.net

APAC and EMEA Headquarters

Juniper Networks International B.V. Boeing Avenue 240 1119 PZ Schiphol-Rijk

Amsterdam, The Netherlands

Phone: +31.207.125.700



Copyright 2024 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Juniper, and Junos are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

1000551-025-EN May 2024 6